

Lung Function Testing Referral

Sydney Respiratory & Sleep

Shop 1, 36-38 Victoria Street East

Burwood NSW 2134

Tel: (02) 8322 9090

www.sydrepsleep.com.au



Please fax referral to **02 8322 9080** or email at info@sydrepsleep.com.au

Patient Details	
Surname:	First Name:
DOB:	
Address:	
Phone:	
Medicare:	
Smoking History: Never Smoked / Ex-Smoker (years ____) / Smoker (years ____ and amount ____)	
Clinical Question:	
Current Inhalers:	

Investigations Requested

- Spirometry (Pre and Post Bronchodilator)
- Full Lung Function Tests (Spirometry, Lung Volumes, Diffusion Capacity)
- MIPS/MEPS (respiratory muscle function)

Before All Tests:

We prefer you not to take any puffers (unless otherwise instructed).

1. Short acting inhalers (Ventolin, Respolin, Asmol, Bricanyl) for at least 8 hours.
2. Long-acting inhalers (eg Symbicort, Seretide, Anora, Breo, Fostair, Trelegy, Breztri, Trimbow) should be withheld between 24 to 36 hours prior to testing.
 - a. i.e. Twice daily inhalers should be withheld 24 hours and daily inhalers withheld 36 hours.

No smoking within 4 hours of the test.

Wear loose fitting clothes and avoid having a large meal before testing.

Referring Doctor Details

Please stamp/insert details (with provider number)

Signature:

Date:

Thank you for your referral.